U.S. Standards

UNITED STATES STANDARDS FOR BEANS

Source: 34 FR 7863, May 17, 1969, unless otherwise noted.

CONTENTS

TERMS DEFINED	1
PRINCIPLES GOVERNING THE APPLICATION OF STANDARDS	3
GRADES, GRADE REQUIREMENTS, GRADE DESIGNATIONS, SPECIAL GRADES, AND SPECIAL GRADE REQUIREMENTS	4

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the State or local Agency that administer the program or contact USDA through the Telecommunications Relay Service at 711 (voice and TTY). Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at <u>How to File a Program</u> <u>Discrimination Complaint</u> and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Mail Stop 9410, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: <u>program.intake@usda.gov</u>.

USDA is an equal opportunity provider, employer, and lender.

101 Beans.

Beans shall be dry threshed field and garden beans, whole, broken, and split, commonly used for edible purposes.

102 Classes.¹

Beans shall be divided into classes as follows, each of which, except Mixed beans, may contain not more than 2.0 percent of beans of contrasting classes and not more than 15.0 percent of beans of other classes that blend:

Pea Beans (The type as grown in the Great Lakes region known also as Navy Beans).

Blackeye Beans (Cowpeas of the Blackeye variety).

Cranberry Beans (Known also as Speckled Cranberry and Horticultural Pole).

Yellow Beans.

Pinto Beans (Including the Mexican Pinto type but not the type known as Spotted Red Mexican).

Marrow Beans (Not including Red Marrow).

Great Northern Beans.

Small White Beans (The type as grown on the Pacific coast, not including Tepary Beans).

Flat Small White Beans (The type as grown in northern Idaho).

White Kidney Beans.

Light Red Kidney Beans.

Dark Red Kidney beans.

Small Red Beans (known also as Red Mexican, California Red, and Idaho Red).

Pink Beans.

Black Beans.

Mung Beans.

Miscellaneous Beans. Beans that are not otherwise classified in these standards shall be classified and designated according to the commonly accepted commercial name of such beans.

Large Lima Beans (characteristic of the Large White Pole and Burpee Bush Lima type).

Baby Lima Beans (characteristic of Small White Lima beans of the Henderson Bush and similar types).

Miscellaneous Lima Beans. Lima beans that do not come within the classes Large Lima or Baby Lima shall be classified and designated according to their commonly accepted commercial name.

Chickpeas (Garbanzo Beans).

Mixed Beans. Mixed beans shall be any mixture of beans not provided for in the classes listed above. *[62 FR 52967, Oct. 10, 1997]*

¹ The use of a variety name in the designation of the class of beans does not imply any guarantee of varietal purity.

103 Grades.

Grades shall be the numerical grades, substandard grades, sample grades, and special grades provided for in 126 through 135. *[47 FR 19310, May 5, 1982] [62 FR 52967, Oct. 10, 1997]*

104 Sound beans.

Sound beans shall be beans that are free from defects.

105 Defects.

Defects for the classes Baby Lima and Miscellaneous Lima beans shall be damaged beans, contrasting classes, and foreign material. Defects for all other classes of beans shall be splits, damaged beans, contrasting classes, and foreign material.

106 Splits.

Splits shall be pieces of beans that are not damaged, each of which consists of three-fourths or less of the whole bean and shall include any sound bean the halves of which are held together loosely.

107 Damaged beans.

Damaged beans shall be beans and pieces of beans that are damaged by frost, weather, disease, weevils or other insects, or other causes.

108 Badly damaged beans.

Badly damaged beans shall be beans and pieces of beans that are materially damaged or discolored by frost, weather, disease, weevils or other insects, or other causes so as to materially affect the appearance and quality of the beans.

109 Foreign material.

Foreign material shall be stones, dirt, weed seeds, cereal grains, lentils, peas, and all matter other than beans. *[44 FR 73007, Dec. 17, 1979]*

110 Stones.

Stones shall be concreted earthy or mineral matter, and other substances of similar hardness that do not disintegrate readily in water.

111 Contrasting classes.

Contrasting classes shall be beans of other classes that are of a different color, size, or shape from the beans of the class designated.

112 Classes that blend.

Classes that blend shall be sound beans of other classes that are similar in color, size, and shape to the beans of the class designated, and shall include white beans in the class Yelloweye which are similar in size and shape to the Yelloweye beans.

113 Broken beans.

Broken beans shall be sound beans with some but less than one-fourth of each bean broken off or with one-fourth or more of the seedcoat removed.

114 Blistered beans.

Blistered beans shall be sound beans with badly blistered or burst seedcoats.

115 Wrinkled beans.

Wrinkled beans shall be sound beans that have deeply wrinkled seedcoats and/or are badly warped or misshapen.

116 Weevily beans.

Weevily beans shall be beans that are infested with live weevils or other insects injurious to stored beans or that contain weevil-bored beans.

117 Clean-cut weevil-bored beans.

Clean-cut weevil-bored beans shall be beans from which weevils have emerged, leaving a clean-cut open cavity free from larvae, webbing, refuse, mold, or stain.

118 Well screened.

Well screened, as applied to the general appearance of beans, shall mean that the beans are uniform in size and are practically free from such small, shriveled, underdeveloped beans, splits, broken beans, large beans, and foreign material that can be removed readily by the ordinary process of milling or screening through the proper use of sieves.

119 30/64 sieve.

A 30/64 sieve shall be a metal sieve 0.0319-inch thick perforated with round holes 0.4687 (30/64) inch in diameter which are 11/16 inch from center to center. The perforations of each row shall be staggered in relation to the adjacent rows.

120 28/64 sieve.

A 28/64 sieve shall be a metal sieve 0.0319-inch thick perforated with round holes 0.4375 (28/64) inch in diameter which are 19/32 inch from center to center. The perforations of each row shall be staggered in relation to the adjacent rows.

[34 FR 7863, May 17, 1969, as amended at 54 FR 51344, Dec. 14, 1989]

121 24/64 sieve.

A 24/64 sieve shall be a metal sieve 0.0319-inch thick perforated with round holes 0.3750 (24/64) inch in diameter which are 17/32 inch from center to center. The perforations of each row shall be staggered in relation to the adjacent rows.

122 Contrasting Chickpeas.

Chickpeas that differ substantially in shape or color.

PRINCIPLES GOVERNING THE APPLICATION OF STANDARDS

123 Basis of determination.

All determinations shall be upon the basis of the beans as a whole. *[62 FR 52967, Oct. 10, 1997] [69 FR 75504, Dec. 17, 2004]*

124 Percentages.

All percentages shall be determined upon the basis of weight, and shall be stated in terms of whole, tenths, and hundredths of a percent as required for individual factors. *[62 FR 52967, Oct. 10, 1997]*

125 Moisture.

Moisture shall be determined by the use of equipment and procedures prescribed by the Federal Grain Inspection Service, U.S. Department of Agriculture. (Information thereon may be obtained from said Service.) [34 FR 7863, May 17, 1969, as amended at 47 FR 34516, Aug. 10, 1982] [62 FR 52967, Oct. 10, 1997] [69 FR 75504, Dec. 17, 2004]

GRADES, GRADE REQUIREMENTS, GRADE DESIGNATIONS, SPECIAL GRADES, AND SPECIAL GRADE REQUIREMENTS

			Maxim	um Limits	of -				
		Total Defects		Foreign	Material		Classes		
Grade	Moisture¹ (percent)	(DB, FM, CCL, & SPL) (percent)	Badly Damaged (percent)	Total (percent)	Stones (percent)	Contrasting Classes ² (percent)	that Blend ³ (percent)		
U.S. Choice Handpicked	18.0	1.5	0.3	0.01	0.01	0.01	2.0		
U.S. Prime Handpicked	18.0	3.0	0.3	0.01	0.01	0.01	2.0		
U.S. No. 1	18.0	2.0	2.0	0.4	0.2	0.5	4.0		
U.S. No. 2	18.0	3.0	3.0	0.8	0.4	1.0	4.0		
U.S. Substar		requireme U.S. Samp also be U. requireme	nts for the gole Grade. S. Substan nts for U.S.	grades U.S Beans wh dard, exce Sample G	6. Choice F ich are not pt for bear Grade.	o not meet the Handpicked th t well screene ns which mee	nrough ed shall et the		
U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.									
¹ Beans with	more than ?	18.0 percent n	noisture are	e graded H	igh Moistu	ire.			
² Beans with	more than 2	2.0 percent co	ntrasting cl	asses are	graded Mi	xed Beans.			
³ Beans with	more than ?	15.0 percent c	lasses that	blend are	graded Mi	xed Beans			

126 Grades and grade requirements for the class Pea Beans

[47 FR 19311, May 5, 1982] [47 FR 20547, May 13, 1982] [62 FR 52967, Oct. 10, 1997] [69 FR 75504, Dec. 17, 2004]

127 Grades and grade requirements for the class Blackeye Beans.

			Maxir	num Limits	s of -					
		Total Defects (DB, FM,	Total		Material	Contrasting	Classes That			
Grade	Moisture ¹ (percent)	CCL, & SPL) (percent)	Damaged (percent)	Total (percent)	Stones (percent)	Classes ² (percent)	Blend ³ (percent)			
U.S. No. 1	18.0			0.5	5.0					
U.S. No. 2	18.0	6.0	4.0	1.0	0.4	1.0	10.0			
U.S. No. 3	U.S. No. 3 18.0 8.0 6.0 1.5 0.6 2.0									
U.S. Substar	ndard:	requireme Grade. B Substand	ents for the Beans which	grades U. n are not w t for beans	S. No. 1 th ell screene	lo not meet th rrough U.S. Sa ed shall also b et the require	ample be U.S.			
U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.										
¹ Beans with more than 18.0 percent moisture are graded High Moisture.										
² Beans with	² Beans with more than 2.0 percent contrasting classes are graded Mixed Beans.									
³ Beans with	more than	15.0 percent	classes tha	t blend are	e graded M	lixed Beans.				

128 Grades and grade requirements for the class Yelloweye Beans.

				Maxii	mum Limit	s of -			
Grade	Moisture ¹ (percent)	Total Defects (DB, FM, CCL, & SPL) (percent)	Total Damaged (percent)	Foreign Total (percent)	Stones	Contrasting Classes ² (percent)	Classes that Blend ³ (percent)	In Addition to Classes that Blend, White Beans Similar in Size and Shape in the Class Yelloweye Beans	
U.S. No. 1	18.0	4.0	5.0	5.0					
U.S. No. 2	18.0	6.0	4.0	1.0	0.4	1.0	10.0	5.0	
U.S. No. 3	18.0	8.0	6.0	1.5	0.6	2.0	15.0		
U.S. Subs	standard:	r (equireme Grade. Be	nts for the eans whic ard, excep	e grades ch are not ot for bea		hrough U ned shall		
U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.									
¹ Beans w	vith more t	han 18.0	percent n	noisture a	are grade	d High Mois	ture.		

² Beans with more than 2.0 percent contrasting classes are graded Mixed Beans.

³ Beans with more than 15.0 percent classes that blend are graded Mixed Beans

129 Grades and grade requirements for the class Cranberry Beans.

			Maxim	num Limits	of -		
				Foreign	Material		
Grade	Moisture¹ (percent)	Total Defects (DB, FM, CCL, & SPL) (percent)	Total Damaged (percent)	Total (percent)	Stones (percent)	Contrasting Classes ² (percent)	Classes that Blend (percent)
U.S. No. 1	18.0	18.0 4.0 2.0 0.5 0.2				0.5	5.0
U.S. No. 2	18.0	6.0	4.0	1.0	0.4	1.0	10.0
U.S. No. 3	18.0	8.0	6.0	1.5	0.6	2.0	15.0
U.S. Substa	ndard:	requirem Grade. Substan	nents for the Beans which	grades U.S are not we	S. No. 1 thr ell screene	o not meet the ough U.S. Sa d shall also be t the requiren	mple e U.S.
U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, heating, materially weathered, or weevily; which have commercially objectionable odor; which contain insec or filth, animal filth, any unknown foreign substance, b glass, or metal fragments; or which are otherwise of o low quality.							
¹ Beans with	n more than	18.0 percent	moisture ar	e graded H	ligh Moistu	re.	
		2.0 percent o		•	•		

[47 FR 19311, May 5, 1982] [47 FR 20547, May 13, 1982] [62 FR 52967, Oct. 10, 1997] [69 FR 75504, Dec. 17, 2004] 130 Grades and grade requirements for the class Pinto Beans.

			Maxi	mum Limits	of -					
				Foreign	Material					
Grade	Moisture ¹ (percent)	Total Defects (DB, FM, CCL, & SPL) (percent)	Total Damaged (percent)	Total (percent)	Stones (percent)	Contrasting Classes ² (percent)	Classes that Blend ³ (percent)			
U.S. No. 1	18.0	3.0	3.0	0.5	0.2	0.5	5.0			
U.S. No. 2	18.0	5.0	5.0	1.0	0.4	1.0	10.0			
U.S. No. 3	18.0	7.0	7.0	1.5	0.6	2.0	15.0			
U.S. Substa	andard:	requirer Grade. Substar	nents for the Beans whic	e grades U. h are not w ot for beans	S. No. 1 thr ell screene	o not meet the rough U.S. Sa d shall also be at the requiren	mple e U.S.			
U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.										
¹ Beans with more than 18.0 percent moisture are graded High Moisture.										
² Beans with	² Beans with more than 2.0 percent contrasting classes are graded Mixed Beans.									
³ Beans with	h more thar	n 15.0 percer	it classes that	at blend are	e graded Mi	xed Beans.				

[47 FR 19311, May 5, 1982] [47 FR 20547, May 13, 1982] [60 FR 36030, July 13, 1995] [62 FR 52967, Oct. 10, 1997] [69 FR 75504, Dec. 17, 2004]

131 Grades and grade requirements for the classes Marrow, Great Northern, Small White, Flat Small White, White Kidney, Light Red Kidney, Dark Red Kidney, Small Red, Pink, Black, and Miscellaneous Beans.

			Maxii	mum Limits	of -			
				Foreign	Material			
Grade	Moisture ¹ (percent)	Total Defects (DB, FM, CCL, & SPL) (percent)	Total Damaged (percent)	Total (percent)	Stones (percent)	Contrasting Classes ² (percent)	Classes that Blend ³ (percent)	
U.S. No. 1	18.0	2.0	2.0	0.5	0.2	0.5	5.0	
U.S. No. 2	18.0	4.0	4.0	1.0	0.4	1.0	10.0	
U.S. No. 3	18.0	6.0	6.0	1.5	0.6	2.0	15.0	
U.S. Substandard: U.S. Substandard shall be beans which do not meet the requirements for the grades U.S. No. 1 through U.S. Sample Grade. Beans which are not well screened shall also be U.S. Substandard, except for beans which meet the requirements for U.S. Sample Grade.								

	U.S. Sample Grade:	U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.
--	--------------------	---

¹ Beans with more than 18.0 percent moisture are graded High Moisture.

² Beans with more than 2.0 percent contrasting classes are graded Mixed Beans.

³ Beans with more than 15.0 percent classes that blend are graded Mixed Beans.

132 Grades and grade requirements for the class Mung Beans.

				Maximum L	imits of -			
		Tatal			Foreign	Material		
Grade	Moisture ¹ (percent)	Total Defects (DB, FM, CCL, & SPL) (percent)	Total Damaged (percent)	Clean-Cut Weevil- Bored ² (percent)	Total (percent)	Stones (percent)	Contrasting Classes ³ (percent)	Classes that Blend ⁴ (percent)
U.S. No. 1	18.0	2.0	2.0	0.1	0.5	0.2	0.5	5.0
U.S. No. 2	18.0	4.0	4.0	0.2	1.0	0.4	1.0	10.0
U.S. No. 3	18.0	6.0	6.0	0.5	1.5	0.6	2.0	15.0

U.S. Substandard: U.S. Substandard shall be beans which do not meet the requirements for the grades U.S. No. 1 through U.S. Sample Grade. Beans which are not well screened shall also be U.S. Substandard, except for beans which meet the requirements for U.S. Sample Grade.

U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.

¹ Beans with more than 18.0 percent moisture are graded High Moisture.

² Beans with more than 0.5 percent clean-cut weevil-bored beans are graded U.S. Sample Grade.

³ Beans with more than 2.0 percent contrasting classes are graded Mixed Beans.

⁴ Beans with more than 15.0 percent classes that blend are graded Mixed Beans.

			M	aximur	n Limits	s of	-				
			_	D	amaged	l Be	ans	For	eign	Material	
Grade	Moisture ¹ (percent)	Total Blistero Wrinkled, & De (DB, FM, CCL SPL) (percent)	fects		otal cent)	Badly Damaged (percent)		Total (percent)		Stones (percent)	
U.S. No. 1	18.0	6.0		2	.0		0.5	0.5	5	0.2	
U.S. No. 2	18.0	9.0		3	.0		1.0	1.0)	0.3	
		- h h	M	aximur	n Limits	s of	-				
	Contracting				Classe		Bean	s Thro	ugh a	a Sieve	
Grade	Contrasting Classes ² (percent)	Splits (percent)		kens cent)					24/64" (percent)		
U.S. No. 1	0.5	3.0	5	.0	5.0		25.0	0		5.0	
U.S. No. 2	1.0	5.0	5.0		10.0		40.0		5.0		
U.S. Substa	ndard:	U.S. Substa requiremen Grade. Bea Substandar U.S. Sampl	ts for ans w d, exe	the gra hich ar cept fo	ades U.: e not w	S. N ell s	No. 1 thro screened	ugh U. shall a	S. Sa Iso b	ample e U.S.	
U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.									any webbing oken		
¹ Beans with	more than 1	8.0 percent mo	oistur	e are g	raded F	High	n Moisture	Э.			
² Beans with	more than 2	.0 percent con	trasti	ng clas	ses are	gra	aded Mixe	ed Bea	ns.		
³ Beans with	more than 1	5.0 percent cla	asses	that bl	end are	e gra	aded Mixe	ed Bea	ns.		

134 Grades and grade requirements for the classes Baby Lima and Miscellaneous Lima Beans.

		Maximum Limits of -											
Grade	Moisture ¹ (percent)	Total Defects (DB, FM, & CCL) (percent)	Badly Damaged (percent)	Foreign Total (percent)	Material Stones (percent)	Contrasting Classes ² (percent)	Blistered, Wrinkled, and/or Broken (percent)	Splits (percent)	Classes that Blend ³ (percent)				
U.S. No. 1	18.0	2.0	1.0	0.5	0.2	0.5	2.0	2.0	5.0				
U.S. No. 2	18.0	4.0	1.5	1.0	0.3	1.0	4.0	4.0	10.0				
U.S. No. 3	18.0	6.0	2.0	1.5	0.6	2.0	6.0	6.0	15.0				
U.S. Sub	standard:		requireme Grade. B	ents for th eans whi ard, exce	ne grade ich are n ept for be	beans whicl s U.S. No. 1 ot well scree ans which r	through L ened shall	J.S. Sam also be	Ú.S.				
U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.													
¹ Beans v	with more	than 18.0	percent i	moisture	are grad	ed High Mo	isture.						
			•		0	are graded		ans.					

Beans with more than 2.0 percent contrasting classes are graded Mixed Beans.

³ Beans with more than 15.0 percent classes that blend are graded Mixed Beans.

135 Grades and grade requirements for the class Chickpeas (Garbanzo Beans).

		-	Maxi	mum Limit	s of -	-		
				Foreign	Material			
Grade	Moisture ¹ (percent)	Total Defects (DB, FM, CCL, & SPL) (percent)	Total Damaged (percent)	Total (percent)	Stones (percent)	Contrasting Classes ² (percent)	Contrasting Chickpeas ³ (percent)	
U.S. No. 1	14.0	2.0	2.0	0.5	0.2	0.5	1.0	
U.S. No. 2	14.0	4.0	4.0	1.0	0.4	1.0	2.0	
U.S. No. 3	14.0	6.0	6.0	1.5	0.6	2.0	>2.0	
U.S. Subst	andard:	requiren U.S. Sar also be l	nents for th mple Grade	e grades L e. Beans v andard, ex	J.S. No. 1 vhich are r cept for be	do not meet through U.S. not well scree eans which m	No. 3 or ned shall	
U.S. Sample Grade: U.S. Sample Grade shall be beans which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odor; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality.								
¹ Beans wi	th more tha	n 14.0 percent	t moisture a	are graded	High Mois	sture.		
² Beans wi	th more tha	n 2.0 percent o	contrasting	classes a	re graded	Mixed Beans		
³ Beans wi U.S. No.		n 2.0 percent o	contrasting	chickpeas	s must gra	de no higher t	than a	

^{[88} FR 38809, June 14, 2023]

136 Grade Designations

The grade designation for all classes of beans shall include, in the following order: (1) the letters "U.S."; (2) the number of the grade, or the words Substandard or Sample Grade, as warranted, or the name of any applicable special grade designation as appears in 137 (a) and (b); (3) the words "or better" when applicable and requested by the applicant prior to inspection; (4) the class; (5) the special grade designation, if applicable, as appears in 137 (c).

In addition, the designation for the grade "U.S. Substandard" shall include the percentage of sound beans.

Mixed beans shall be graded according to the grade requirements of the class of beans which predominates in the mixture. The factors of contrasting classes, classes that blend and sieve size requirements in the class Large Lima beans shall be disregarded in Mixed beans.

137 Special Grade Designations

- (a) Choice Handpicked. The special grade designation "Choice Handpicked" shall be applicable only to the class Pea Beans. The "Choice Handpicked" designation shall include in the following order: (1) The letters "U.S.";
 (2) the words "Choice Handpicked"; and (3) "Pea Beans".
- (b) *Prime Handpicked*. The special grade designation "Prime handpicked" is applicable only to the class Pea beans. The "Prime Handpicked" designation shall include in the following order: (1) The letters "U.S."; (2) the words "Prime Handpicked"; and (3) "Pea Beans".
- (c) *High Moisture*. The special grade designation "High Moisture" is applicable to all classes of beans containing over 18.0 (14.0 for Chickpeas/Garbanzo Beans) percent moisture. The words "High Moisture" shall follow the class name.